

In the Claims:

Please amend the claims as follows:

1. (Original) A method for identifying the content of a file in a network environment, said network environment comprising at least one local computing device linked to a remaining part of the network environment including a central infrastructure and, the method comprising
 - calculating a reference value for a new file on one of said at least one local computing devices using a one-way-function,
 - transmitting said calculated reference value o said central infrastructure,
 - comparing said calculated reference value with reference values previously stored within the remaining part of the network environment,
 - after comparing,
 - deciding that the content of the new file is already identified if a match between said calculated reference value and a previously stored reference value is found and retrieving the corresponding content attributes; or
 - deciding that the content of the new file is not yet identified if no match between said calculated reference value and any of the previously stored reference values is found, followed by sharing the new file on the local computing device to said central infrastructure and said central infrastructure identifying the content of said new file by remotely identifying the content over the network environment, determining content attributes corresponding with the content of the new file and storing a copy of said content attributes,
 - after deciding, triggering an action on said local computing device in accordance with said content attributes.
2. (Original) A method according to claim 1, wherein said triggering an action on said local computing device in accordance with said content attributes is performed after transmitting the content attributes corresponding to the new file to the local computing device.
3. (Currently Amended) A method according to ~~any of the previous claims~~ claim 1 wherein said identifying the content of said new file comprises one or more of the group of scanning for viruses, scanning for adult content, scanning for Self Promotional Advertising Messages and

scanning for copyrighted information, using a scanning means installed on said central infrastructure.

4. (Currently Amended) A method according to ~~any of the previous claims~~ claim 1, furthermore comprising storing a copy of the new file on the central infrastructure.
5. (Currently Amended) A method according to ~~any of the previous claims~~ claim 1, wherein said triggering an action on said local computing device in accordance with said content attributes may comprise replacement of the new file on the local computing device with another version of said new file restored from the remaining part of the network environment.
6. (Currently Amended) A computer program product for executing ~~any of the methods as claimed in claims 1 to 5~~ the method of claim 1 when executed on a network.
7. (Original) A system for identifying the content of a file in a network environment, said network environment comprising at least one local computing device linked to a remaining part the network environment which includes a central infrastructure and, said remaining part including a stored database, whereby the system comprises:
 - means for calculating a reference value for a new file on said local computing device using a one-way-function,
 - means for transmitting said calculated reference value to said central infrastructure,
 - means for comparing said calculated reference value with previously stored reference values from the database,
 - whereby the system further comprises:
 - means for deciding whether the content of the new file is already identified based on comparison of said calculated reference value and reference values previously stored within the remaining part,
 - means for sharing the new file on the local computing device to said central infrastructure
 - means located on the central infrastructure, for remotely identifying the content of the new file over the network and as to assign content attributes if the new file has not been identified yet and means for storing said content attributes within the remaining part, and
 - means for triggering an action on said local computing device in accordance with content attributes for said new file.

8. (Original) A system according to claim 7 furthermore comprising means for storing a copy of the new file within the remaining part.
9. (Original) A method for altering a system for identifying the content of a file in a network environment, said network environment comprising means for calculating a one-way function, at least one local computing device linked to a remaining part of the network environment including a central infrastructure and means for identifying the content and said remaining part including a stored database, the method comprising
- altering said means for identifying the content or said means for calculating a one-way function
 - scanning the remaining part of the network environment for reference values calculated with a one-way function
 - for each of said reference values,
 - requesting a file that corresponds with said reference value from said network environment
 - identifying the content of said file and determining content attributes corresponding with the content of the file and storing a copy of said content attributes
 - sending the content attributes to every local computing device containing the file
 - after sending; triggering an action on said local computing device in accordance with said content attributes.
10. (Original) A method according to claim 9, wherein said scanning the remaining part of the network environment for reference values calculated with a one-way function comprises scanning the remaining part of the network environment for reference values, calculated with a one-way function, said reference values being generated after a predetermined date.
11. (Currently Amended) A method according to claim 9 ~~or~~ 10, wherein said method furthermore comprises, for each of said reference values, sending the file to means for identifying the content.
12. (Currently Amended) A method according to claim 9 ~~or~~ 10, wherein said method furthermore comprises, for each of said reference values, sharing the file to the means for identifying the content and remotely identifying the content of the file over the network.

13. (Currently Amended) A method according to ~~any of claims 9 to 12~~ claim 9, wherein said sending the content attributes to every local computing device containing the file, may comprise
 - identifying every local computing device containing the file using a stored database
 - sending the content attributes to said identified local computing devices
14. (Currently Amended) A method according to ~~any of claims 9 to 13~~ claim 9 wherein sending the content attributes to said identified local computing devices comprises, for each of said identified local computing devices not connected to said network, creating an entry in a waiting list and sending the content attributes to said identified local computing devices in agreement with said entry on said waiting list when the local computing devices are reconnected to the network.
15. (Currently Amended) A method according to ~~any of claims 9 to 14~~ claim 9 wherein, requesting a file that corresponds with said reference value from said network environment comprises, if no local computing device having said file that corresponds with said reference value is connected to the network, creating an entry in a waiting list and requesting a file that corresponds with said reference value from said local computing device in agreement with said entry when the local computing device is reconnected to said network.
16. (Currently Amended) A method according to ~~any of claims 9 to 15~~ claim 9, wherein said method furthermore comprises identifying whether the content attributes correspond with unwanted content and, if so, identifying the local computing device that first introduced said unwanted content in the network based on data stored in said database.
17. (Currently Amended) A computer program product for executing the method as claimed in ~~any of claims 9 to 16~~ claim 9 when executed on a network.
18. (Currently Amended) A machine readable data storage device storing the computer program product of claim 6 ~~or~~ 17.
19. (Cancelled)